


## Product Features & Details:

- ASME B16.22 Standard
- 1/4" - 2-1/8" Sizes Available
- Seamless construction
- Forms permanent connection
- Resistant to environmental effects
- Universal Fit and Acceptance
- Convenient Packaging



| Item#        | Description                                  | Pack Qty | Case Qty |
|--------------|--|----------|----------|
| HQCPL14      | FTG Copper Str8 Cplg W/stop 1/4" W01003      | 100      | 1600     |
| HQCPL38      | FTG Copper Str8 Cplg W/stop 3/8" W01009      | 50       | 1000     |
| HQCPL12      | FTG Copper Str8 Cplg W/stop 1/2" W01017      | 50       | 1000     |
| HQCPL58      | FTG Copper Str8 Cplg W/stop 5/8" W01022      | 50       | 500      |
| HQCPL34      | FTG Copper Str8 Cplg W/stop 3/4" W01028      | 50       | 300      |
| HQCPL78      | FTG Copper Str8 Cplg W/stop 7/8" W01034      | 25       | 250      |
| HQCPL118     | FTG Copper Str8 Cplg W/stop 1-1/8" W01047    | 10       | 200      |
| HQCPL138     | FTG Copper Str8 Cplg W/stop 1-3/8" W01055    | 10       | 150      |
| HQCPL158     | FTG Copper Str8 Cplg W/stop 1-5/8" W01063    | 10       | 100      |
| HQCPL218     | FTG Copper Str8 Cplg W/stop 2-1/8" W01072    | 10       | 60       |
| HQCPLR3814   | FTG Copper Red Cplg CxC 3/8"x1/4" W01011     | 50       | 1000     |
| HQCPLR1214   | FTG Copper Red Cplg CxC 1/2"x1/4" W01021     | 50       | 1000     |
| HQCPLR1238   | FTG Copper Red Cplg CxC 1/2"x3/8" W01019     | 50       | 1000     |
| HQCPLR5812   | FTG Copper Red Cplg CxC 5/8"x3/8" W01023     | 50       | 800      |
| HQCPLR5838   | FTG Copper Red Cplg CxC 5/8"x1/2" W01025     | 50       | 800      |
| HQCPLR3438   | FTG Copper Red Cplg CxC 3/4"x3/8" W01031     | 50       | 600      |
| HQCPLR3412   | FTG Copper Red Cplg CxC 3/4"x1/2" W01030     | 50       | 600      |
| HQCPLR3458   | FTG Copper Red Cplg CxC 3/4"x5/8" W01029     | 50       | 600      |
| HQCPLR7838   | FTG Copper Red Cplg CxC 7/8"x3/8" W01038     | 50       | 500      |
| HQCPLR7858   | FTG Copper Red Cplg CxC 7/8"x5/8" W01036     | 50       | 500      |
| HQCPLR7834   | FTG Copper Red Cplg CxC 7/8"x3/4" W01035     | 50       | 500      |
| HQCPLR11812  | FTG Copper Red Cplg CxC 1-1/8"x1/2" W01052   | 25       | 250      |
| HQCPLR11858  | FTG Copper Red Cplg CxC 1-1/8"x5/8" W01051   | 25       | 250      |
| HQCPLR11834  | FTG Copper Red Cplg CxC 1-1/8"x3/4" W01050   | 25       | 250      |
| HQCPLR11878  | FTG Copper Red Cplg CxC 1-1/8"x7/8" W01049   | 25       | 250      |
| HQCPLR13878  | FTG Copper Red Cplg CxC 1-3/8"x7/8" W01058   | 10       | 100      |
| HQCPLR138118 | FTG Copper Red Cplg CxC 1-3/8"x1-1/8" W01056 | 10       | 100      |
| HQCPLR158138 | FTG Copper Red Cplg CxC 1-5/8"x1-3/8" W01064 | 10       | 60       |
| HQCPLR218158 | FTG Copper Red Cplg CxC 2-1/8"x1-5/8" W01073 | 10       | 60       |

## Product Features & Details:


- ASME B16.22 Standard
- 1/4" - 2-1/8" Sizes Available
- Seamless construction
- Forms permanent connection
- Resistant to environmental effects
- Universal Fit and Acceptance
- Convenient Packaging



| Item#       | Description                                    | Pack Qty | Case Qty |
|-------------|--|----------|----------|
| HQELB4538   | FTG Copper Elb 45° CxC 3/8" W03012             | 50       | 1000     |
| HQELB4512   | FTG Copper Elb 45° CxC 1/2" W03021             | 50       | 1000     |
| HQELB4558   | FTG Copper Elb 45° CxC 5/8" W03026             | 50       | 800      |
| HQELB4534   | FTG Copper Elb 45° CxC 3/4" W03030             | 50       | 600      |
| HQELB4578   | FTG Copper Elb 45° CxC 7/8" W03034             | 25       | 500      |
| HQELB45118  | FTG Copper Elb 45° CxC 1-1/8" W03044           | 10       | 100      |
| HQELB45138  | FTG Copper Elb 45° CxC 1-3/8" W03050           | 10       | 100      |
| HQELB4538S  | FTG Copper Elb ST 45° CxC 3/8" W03312          | 50       | 1000     |
| HQELB4512S  | FTG Copper Elb ST 45° CxC 1/2" W03321          | 50       | 1000     |
| HQELB4558S  | FTG Copper Elb ST 45° CxC 5/8" W03326          | 50       | 800      |
| HQELB4534S  | FTG Copper Elb ST 45° CxC 3/4" W03330          | 50       | 600      |
| HQELB4578S  | FTG Copper Elb ST 45° CxC 7/8" W03334          | 25       | 500      |
| HQELB45118S | FTG Copper Elb ST 45° CxC 1-1/8" W03344        | 10       | 100      |
| HQELB45138S | FTG Copper Elb ST 45° CxC 1-3/8" W03350        | 10       | 100      |
| HQELB45158S | FTG Copper Elb ST 45° CxC 1-5/8" W03355        | 10       | 80       |
| HQELB59014  | FTG Copper Elb Short Rad 90° CxC 1/4" W02003   | 50       | 1000     |
| HQELB59038  | FTG Copper Elb Short Rad 90° CxC 3/8" W02009   | 50       | 1000     |
| HQELB59012  | FTG Copper Elb Short Rad 90° CxC 1/2" W01617   | 50       | 800      |
| HQELB59058  | FTG Copper Elb Short Rad 90° CxC 5/8" W01622   | 50       | 500      |
| HQELB59034  | FTG Copper Elb Short Rad 90° CxC 3/4" W02028   | 50       | 500      |
| HQELB59078  | FTG Copper Elb Short Rad 90° CxC 7/8" W01634   | 25       | 250      |
| HQELB590118 | FTG Copper Elb Short Rad 90° CxC 1-1/8" W01647 | 10       | 100      |
| HQELB590158 | FTG Copper Elb Short Rad 90° CxC 1-5/8" W02085 | 10       | 100      |

## Product Features & Details:


- ASME B16.22 Standard
- 1/4" - 2-1/8" Sizes Available
- Seamless construction
- Forms permanent connection
- Resistant to environmental effects
- Universal Fit and Acceptance
- Convenient Packaging



| Item#        | Description                                      | Pack Qty | Case Qty |
|--------------|--|----------|----------|
| HQELBL9038   | FTG Copper Elb Long Rad 90° CxC 3/8" W02716      | 50       | 1000     |
| HQELBL9012   | FTG Copper Elb Long Rad 90° CxC 1/2" W02717      | 50       | 500      |
| HQELBL9058   | FTG Copper Elb Long Rad 90° CxC 5/8" W02722      | 50       | 500      |
| HQELBL9034   | FTG Copper Elb Long Rad 90° CxC 3/4" W02728      | 50       | 500      |
| HQELBL9078   | FTG Copper Elb Long Rad 90° CxC 7/8" W02734      | 25       | 250      |
| HQELBL90118  | FTG Copper Elb Long Rad 90° CxC 1-1/8" W02747    | 10       | 100      |
| HQELBL90138  | FTG Copper Elb Long Rad 90° CxC 1-3/8" W02055    | 10       | 100      |
| HQELBL90158  | FTG Copper Elb Long Rad 90° CxC 1-5/8" W02063    | 10       | 60       |
| HQELBL90385  | FTG Copper Elb Long Rad ST 90° CxC 3/8" W02809   | 50       | 1000     |
| HQELBL90125  | FTG Copper Elb Long Rad ST 90° CxC 1/2" W02817   | 50       | 500      |
| HQELBL90585  | FTG Copper Elb Long Rad ST 90° CxC 5/8" W02822   | 50       | 500      |
| HQELBL90345  | FTG Copper Elb Long Rad ST 90° CxC 3/4" W02828   | 25       | 250      |
| HQELBL90785  | FTG Copper Elb Long Rad ST 90° CxC 7/8" W02834   | 25       | 250      |
| HQELBL901185 | FTG Copper Elb Long Rad ST 90° CxC 1-1/8" W02847 | 10       | 100      |
| HQTEE14      | FTG Copper Tee CxCxC 1/4" W40306                 | 100      | 1000     |
| HQTEE38      | FTG Copper Tee CxCxC 3/8" W04000                 | 50       | 1000     |
| HQTEE12      | FTG Copper Tee CxCxC 1/2" W04001                 | 50       | 500      |
| HQTEE58      | FTG Copper Tee CxCxC 5/8" W04006                 | 50       | 500      |
| HQTEE34      | FTG Copper Tee CxCxC 3/4" W04017                 | 25       | 250      |
| HQTEE78      | FTG Copper Tee CxCxC 7/8" W04031                 | 25       | 250      |
| HQTEE118     | FTG Copper Tee CxCxC 1-1/8" W04048               | 10       | 100      |
| HQTEE138     | FTG Copper Tee CxCxC 1-3/8" W04068               | 10       | 60       |
| HQTEE158     | FTG Copper Tee CxCxC 1-5/8" W04084               | 10       | 60       |
| HQFA3434     | FTG Copper Fem Adapter 3/4 x 3/4 W01238          | 25       | 250      |
| HQFA5812     | FTG Copper Fem Adapter 5/8 x 1/2 W01531          | 25       | 250      |
| HQFA7834     | FTG Copper Fem Adapter 7/8 x 3/4 W01546          | 25       | 250      |
| HQFA1181     | FTG Copper Fem Adapter 1-1/8 x 1 W01563          | 25       | 250      |
| HQMA3434     | FTG Copper Male Adapter 3/4 x 3/4 W01138         | 25       | 250      |
| HQMA7834     | FTG Copper Male Adapter 7/8 x 3/4 W01146         | 25       | 250      |
| HQMA1181     | FTG Copper Male Adapter 1-1/8 x 1 W01163         | 25       | 250      |
| HQPT58       | FTG Copper P-Trap 5/8 OD W60998                  | 20       | 120      |
| HQPT34       | FTG Copper P-Trap 3/4 OD W60997                  | 20       | 120      |
| HQPT78       | FTG Copper P-Trap 7/8 OD W60996                  | 15       | 90       |
| HQPT118      | FTG Copper P-Trap 1-1/8 OD W60995                | 10       | 60       |

## Product Features & Specs:

- ASTM B280 Standard
- Soft Annealed Copper Tube
- 1/4" - 1-1/8" Sizes Available
- Seamless construction
- Rolls - Ends Capped
- Linesets - Ends Capped
- 1/2", 3/4", 1" Wall Insulation Available to Order



| Item# | Description | Size | Length | Wt | Wall | Pkg | Case |
|-------|-------------|------|--------|----|------|-----|------|
|-------|-------------|------|--------|----|------|-----|------|

|        |   |      |     |       |        |   |   |
|--------|---|------|-----|-------|--------|---|---|
| HQ3850 | COPP 3/8"x 50' Rolled Copper - ASTMB280 | 3/8" | 50' | 6.60  | 0.0319 | 1 | 5 |
| HQ1250 | COPP 1/2"x 50' Rolled Copper - ASTMB280 | 1/2" | 50' | 9.08  | 0.0319 | 1 | 5 |
| HQ5850 | COPP 5/8"x 50' Rolled Copper - ASTMB280 | 5/8" | 50' | 12.59 | 0.0351 | 1 | 5 |
| HQ3450 | COPP 3/4"x 50' Rolled Copper - ASTMB280 | 3/4" | 50' | 15.26 | 0.0351 | 1 | 3 |
| HQ7850 | COPP 7/8"x 50' Rolled Copper - ASTMB280 | 7/8" | 50' | 22.69 | 0.0449 | 1 | 3 |

## Key Product Details:


- Forms permanent connection
- Resistant to environmental effects
- Universal Fit and Acceptance
- Rolls Individually Wrapped
- Ends Capped
- Sturdy Cardboard Case for Protection
- Rugged Skin Insulation - Linesets
- UV Resistant Insulation - Linesets



ASTM B280 - 16

## Product Features & Specs:

- ASTM B280 Standard
- Soft Annealed Copper Tube
- Seamless construction
- 1/2", 3/4", 1" Wall Insulation Available to Order
- Forms permanent connection
- Resistant to environmental effects
- Ends Capped
- Rugged Skin Insulation - Linesets
- UV Resistant Insulation - Linesets




| Item#         | Description                                   | Size | Length | Wt | Wall             | Pkg | Case  |
|---------------|---|------|--------|----|------------------|-----|-------|
| LSWHI450      | Single Mini Split Lineset - 1/4" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH3850      | Single Mini Split Lineset - 3/8" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWHI250      | Single Mini Split Lineset - 1/2" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH5850      | Single Mini Split Lineset - 5/8" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH3450      | Single Mini Split Lineset - 3/4" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH7850      | Single Mini Split Lineset - 7/8" x 50'        | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWHI1850     | Single Mini Split Lineset - 1-1/8" x 50'      | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH3482      | Single Mini Split Lineset - 3/4 x 82'         | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH7882      | Single Mini Split Lineset - 7/8 x 82'         | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWHI1882     | Single Mini Split Lineset - 1-1/8 x 82'       | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWHI4164     | Single Mini Split Lineset - 1/4" x 164'       | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH38164     | Single Mini Split Lineset - 3/8" x 164'       | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWH58164     | Single Mini Split Lineset - 1/2" x 164'       | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSWHI2164     | Single Mini Split Lineset - 5/8" x 164'       | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14381225  | Dual Mini Split Lineset - 1/4" x 3/8" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14121225  | Dual Mini Split Lineset - 1/4" x 1/2" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14581225  | Dual Mini Split Lineset - 1/4" x 5/8" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38121225  | Dual Mini Split Lineset - 3/8" x 1/2" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38581225  | Dual Mini Split Lineset - 3/8" x 5/8" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38341225  | Dual Mini Split Lineset - 3/8" x 3/4" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38781225  | Dual Mini Split Lineset - 3/8" x 7/8" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS381181225 | Dual Mini Split Lineset - 3/8" x 1-1/8" x 25' | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12581225  | Dual Mini Split Lineset - 1/2" x 5/8" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12341225  | Dual Mini Split Lineset - 1/2" x 3/4" x 25'   | 1/2" |        |    | White Insulation | 1   | Mixed |

ASTM B280 - 16

## Product Features & Specs:

- ASTM B280 Standard
- Soft Annealed Copper Tube
- Seamless construction
- 1/2", 3/4", 1" Wall Insulation Available to Order
- Forms permanent connection
- Resistant to environmental effects
- Ends Capped
- Rugged Skin Insulation - Linesets
- UV Resistant Insulation - Linesets




| Item#         | Description                                   | Size | Length | Wt | Wall             | Pkg | Case  |
|---------------|---|------|--------|----|------------------|-----|-------|
| LSMS14381235  | Dual Mini Split Lineset - 1/4" x 3/8" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14121235  | Dual Mini Split Lineset - 1/4" x 1/2" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14581235  | Dual Mini Split Lineset - 1/4" x 5/8" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38121235  | Dual Mini Split Lineset - 3/8" x 1/2" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38581235  | Dual Mini Split Lineset - 3/8" x 5/8" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38341235  | Dual Mini Split Lineset - 3/8" x 3/4" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38781235  | Dual Mini Split Lineset - 3/8" x 7/8" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS381181235 | Dual Mini Split Lineset - 3/8" x 1-1/8" x 35' | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12581235  | Dual Mini Split Lineset - 1/2" x 5/8" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12341235  | Dual Mini Split Lineset - 1/2" x 3/4" x 35'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14381250  | Dual Mini Split Lineset - 1/4" x 3/8" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14121250  | Dual Mini Split Lineset - 1/4" x 1/2" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS14581250  | Dual Mini Split Lineset - 1/4" x 5/8" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38121250  | Dual Mini Split Lineset - 3/8" x 1/2" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38581250  | Dual Mini Split Lineset - 3/8" x 5/8" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38341250  | Dual Mini Split Lineset - 3/8" x 3/4" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS38781250  | Dual Mini Split Lineset - 3/8" x 7/8" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12581250  | Dual Mini Split Lineset - 1/2" x 5/8" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| LSMS12341250  | Dual Mini Split Lineset - 1/2" x 3/4" x 50'   | 1/2" |        |    | White Insulation | 1   | Mixed |
| BUVLS1425     | Single Mini Split - UV Lineset - 1/4" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS3825     | Single Mini Split - UV Lineset - 3/8" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS1225     | Single Mini Split - UV Lineset - 1/2" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS5825     | Single Mini Split - UV Lineset - 5/8" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS3425     | Single Mini Split - UV Lineset - 3/4" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS7825     | Single Mini Split - UV Lineset - 7/8" x 25'   | 1/2" |        |    | Black Insulation | 1   | Mixed |

ASTM B280 - 16

## Product Features & Specs:

- ASTM B280 Standard
- Soft Annealed Copper Tube
- Seamless construction
- 1/2", 3/4", 1" Wall Insulation Available to Order
- Forms permanent connection
- Resistant to environmental effects
- Ends Capped
- Rugged Skin Insulation - Linesets
- UV Resistant Insulation - Linesets




| Item#         | Description                                  | Size | Length | Wt | Wall             | Pkg | Case  |
|---------------|--|------|--------|----|------------------|-----|-------|
| BUVLS1450     | Single Mini Split - UV Lineset - 1/4" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS3850     | Single Mini Split - UV Lineset - 3/8" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS1250     | Single Mini Split - UV Lineset - 1/2" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS5850     | Single Mini Split - UV Lineset - 5/8" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS3450     | Single Mini Split - UV Lineset - 3/4" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS7850     | Single Mini Split - UV Lineset - 7/8" x 50'  | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS14164    | Single Mini Split - UV Lineset - 1/4" x 164' | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS38164    | Single Mini Split - UV Lineset - 3/8" x 164' | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS12164    | Single Mini Split - UV Lineset - 1/2" x 164' | 1/2" |        |    | Black Insulation | 1   | Mixed |
| BUVLS58164    | Single Mini Split - UV Lineset - 5/8" x 164' | 1/2" |        |    | Black Insulation | 1   | Mixed |
| LSMS14121230  | Dual Mini Split Lineset - 1/4" x 1/2" x 30'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14121250  | Dual Mini Split Lineset - 1/4" x 1/2" x 50'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14121265  | Dual Mini Split Lineset - 1/4" x 1/2" x 65'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS141212100 | Dual Mini Split Lineset - 1/4" x 1/2" x 100' |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14381215  | Dual Mini Split Lineset - 1/4" x 3/8" x 15'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14381230  | Dual Mini Split Lineset - 1/4" x 3/8" x 30'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14381250  | Dual Mini Split Lineset - 1/4" x 3/8" x 50'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14381265  | Dual Mini Split Lineset - 1/4" x 3/8" x 65'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS143812100 | Dual Mini Split Lineset - 1/4" x 3/8" x 100' |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14581215  | Dual Mini Split Lineset - 1/4" x 5/8" x 15'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14581230  | Dual Mini Split Lineset - 1/4" x 5/8" x 30'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS14581250  | Dual Mini Split Lineset - 1/4" x 5/8" x 50'  |      |        |    | Black Insulation | 1   | Mixed |
| LSMS145812100 | Dual Mini Split Lineset - 1/4" x 5/8" x 100' |      |        |    | Black Insulation | 1   | Mixed |
| LSMS38581230  | Dual Mini Split Lineset - 3/8" x 5/8" x 30'  |      |        |    | Black Insulation | 1   | Mixed |

ASTM B280 - 16

## Product Features & Specs:

- ASTM B280 Standard
- Soft Annealed Copper Tube
- Seamless construction
- 1/2", 3/4", 1" Wall Insulation Available to Order
- Forms permanent connection
- Resistant to environmental effects
- Ends Capped
- Rugged Skin Insulation - Linesets
- UV Resistant Insulation - Linesets



| Item#      | Description   | Size | Length | Wt | Wall | Pkg | Case  |
|------------|---|------|--------|----|------|-----|-------|
| LS1438150B | Dual Mini Split Lineset - 1/4" x 3/8" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS1412150B | Dual Mini Split Lineset - 1/4" x 1/2" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS1458150B | Dual Mini Split Lineset - 1/4" x 5/8" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS3858150B | Dual Mini Split Lineset - 3/8" x 5/8" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS3834150B | Dual Mini Split Lineset - 3/8" x 3/4" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS3878150B | Dual Mini Split Lineset - 3/8" x 7/8" x 50" - Black Insulation 1" Wall    |      |        |    |      | 1   | Mixed |
| LS3834125W | Dual Mini Split Lineset - 3/8" x 3/4" x 25" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |
| LS3878125W | Dual Mini Split Lineset - 3/8" x 7/8" x 25" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |
| LS3834135W | Dual Mini Split Lineset - 3/8" x 3/4" x 35" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |
| LS3878135W | Dual Mini Split Lineset - 3/8" x 7/8" x 35" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |
| LS3834150W | Dual Mini Split Lineset - 3/8" x 3/4" x 50" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |
| LS3878150W | Dual Mini Split Lineset - 3/8" x 7/8" x 50" - White PE Insulation 1" Wall |      |        |    |      | 1   | Mixed |